

Supplementary Table 1. Previous paper review of metastatic epithelial-myoepithelial carcinoma

Reference	Number of metastatic case	Age	Sex	Primary site	Distant metastasis site (interval)
Corio, et al. ¹⁾ (1982)	1	-	-	-	Kidney (28 yrs)
Pogrel and Hansen ²⁾ (1984)	1	53	F	Parotid gland	Brain (18 mo)
Pogrel ³⁾ (1985)					
Luna, et al. ⁴⁾ (1985)	1	72	M	Parotid gland	Lung (?)
Collina, et al. ⁵⁾ (1991)	2	44	M	Parotid gland	Lung (2 yrs)
		69	M	Parotid gland	Lung (20 mo)
Fonseca, et al. ⁶⁾ (1993)	2	-	-	-	Skin of the skull (?)
		-	-	-	Lung (?)
Morinaga, et al. ⁷⁾ (1992)	1	8	M	Parotid gland	Lung, brain (3 yrs)
Noel, et al. ⁸⁾ (1992)	1	49	M	Parotid gland	Lung (14 yrs)
Cho, et al. ⁹⁾ (1995)	5	36	M	Parotid gland	Lung (14 yrs)
		27	M	Parotid gland	Lung (19, 20 yrs)
		75	F	Parotid gland	Lung (4 yrs)
		50	M	Parotid gland	Lung (7 yrs)
		54	M	Maxilla	Lung (11 yrs)
Alos, et al. ¹⁰⁾ (1999)	1	88	F	Parotid gland	Liver (?)
Kasper, et al. ¹¹⁾ (1999)	1	58	F	Parotid gland	Lung, bone (femur, upper limb) (12 yrs)
Tsuneyama, et al. ¹²⁾ (1999)	1	57	M	Hard palate	Liver (10 yrs)
Friedrich, et al. ¹³⁾ (2000)	1	61	F	Parotid gland	Lung, bone (10, 16 yrs)
Pierrard, et al. ¹⁴⁾ (2006)	1	48	M	Submandibular gland	Lung, brain (3 yrs, 3 yrs 9 mo)
Seethala, et al. ¹⁵⁾ (2007)	2	-	-	-	Iliac bone (?)
		-	-	-	Soft tissue of the neck (?)
Roy, et al. ¹⁶⁾ (2010)	1	59	F	Parotid gland	Peritoneal, liver, brain (3 yrs)
Yamazaki, et al. ¹⁷⁾ (2013)	1	35	M	Parotid gland	Lung (9 mo)
Manteghi, et al. ¹⁸⁾ (2016)	1	53	F	Submandibular gland	Bone (Iliac crest) (2.5 yr)
Hsieh, et al. ¹⁹⁾ (2016)	1	45	M	Parotid gland	Lung (1 yr)
Mäkelä, et al. ²⁰⁾ (2020)	1	32	F	-	Lung, subcutaneous lesion (4, 5 yrs)

REFERENCES

- 1) Corio RL, Sciubba JJ, Brannon RB, Batsakis JG. Epithelial-myoepithelial carcinoma of intercalated duct origin. A clinicopathologic and ultrastructural assessment of sixteen cases. *Oral Surg Oral Med Oral Pathol* 1982;53(3):280-7.
- 2) Pogrel MA, Hansen LS. Second primary tumor associated with salivary gland cancer. *Oral Surg Oral Med Oral Pathol* 1984;58(1):71-5.
- 3) Pogrel MA. Follow-up report on epithelial-myoepithelial carcinoma of intercalated duct origin. *Oral Surg Oral Med Oral Pathol* 1985;59(2):172-3.
- 4) Luna MA, Ordonez NG, Mackay B, Batsakis JG, Guillaumondegui O. Salivary epithelial-myoepithelial carcinomas of intercalated ducts: A clinical, electron microscopic, and immunocytochemical study. *Oral Surg Oral Med Oral Pathol* 1985;59(5):482-90.
- 5) Collina G, Gale N, Visonà A, Betts CM, Cenacchi V, Eusebi V. Epithelial-myoepithelial carcinoma of the parotid gland: A clinico-pathologic and immunohistochemical study of seven cases. *Tumori* 1991;77(3):257-63.
- 6) Fonseca I, Soares J. Epithelial-myoepithelial carcinoma of the salivary glands. A study of 22 cases. *Virchows Arch A Pathol Anat Histopathol* 1993;422(5):389-96.
- 7) Morinaga S, Hashimoto S, Tezuka F. Epithelial-myoepithelial carcinoma of the parotid gland in a child. *Acta Pathol Jpn* 1992;42(5):358-63.
- 8) Noel S, Brozna JP. Epithelial-myoepithelial carcinoma of salivary gland with metastasis to lung: Report of a case and review of the literature. *Head Neck* 1992;14(5):401-6.
- 9) Cho KJ, el-Naggar AK, Ordonez NG, Luna MA, Austin J, Batsakis JG. Epithelial-myoepithelial carcinoma of salivary glands. A clinicopathologic, DNA flow cytometric, and immunohistochemical study of Ki-67 and HER-2/neu oncogene. *Am J Clin Pathol* 1995;103(4):432-7.
- 10) Alos L, Carrillo R, Ramos J, Baez JM, Mallofre C, Fernandez PL, et al. High-grade carcinoma component in epithelial-myoepithelial carcinoma of salivary glands clinicopathological, immunohistochemical and flow-cytometric study of three cases. *Virchows Arch* 1999;434(4):291-9.
- 11) Kasper HU, Mellin W, Kriegsmann J, Cheremet E, Lippert H, Roessner A. Epithelial-myoepithelial carcinoma of the salivary gland--a low grade malignant neoplasm? Report of two cases and review of the literature. *Pathol Res Pract* 1999;195(3):189-92.
- 12) Tsuneyama K, Hosono M, Kono N, Kitagawa M, Masuda S, Matsuki N, et al. An unusual case of epithelial-myoepithelial carcinoma of the liver. *Am J Surg Pathol* 1999;23(3):349-53.
- 13) Friedrich RE, Donath K. Epithelial-myoepithelial carcinoma of the parotid gland with multiple distant metastases: a case report. *J Oral Maxillofac Surg* 2000;58(6):690-4.
- 14) Pierard S, Gregoire V, Weynand B, Machiels JP. Epithelial-myoepithelial carcinoma of the submandibular gland with symptomatic lung metastases treated with chemotherapy. *Eur Arch Otorhinolaryngol* 2006;263(12):1158-60.
- 15) Seethala RR, Barnes EL, Hunt JL. Epithelial-myoepithelial carcinoma: A review of the clinicopathologic spectrum and immunophenotypic characteristics in 61 tumors of the salivary glands and upper aerodigestive tract. *Am J Surg Pathol* 2007;31(1):44-57.
- 16) Roy P, Bullock MJ, Perez-Ordoñez B, Dardick I, Weinreb I. Epithelial-myoepithelial carcinoma with high grade transformation. *Am J Surg Pathol* 2010;34(9):1258-65.
- 17) Yamazaki H, Ota Y, Aoki T, Kaneko A. Lung metastases of epithelial-myoepithelial carcinoma of the parotid gland successfully treated with chemotherapy: A case report. *J Oral Maxillofac Surg* 2013;71(1):220-6.
- 18) Manteghi A, Centric A, Zwillenberg S, Minimo C. Submandibular gland epithelial-myoepithelial carcinoma with osseous metastasis: A first reported case and review of the literature. *Spartan Med Res J* 2016;1(1):5042.
- 19) Hsieh MS, Chen JS, Lee YH, Chou YH. Epithelial-myoepithelial carcinoma of the salivary gland harboring HRAS codon 61 mutations with lung metastasis. *Int J Surg Pathol* 2016;24(3):227-31.
- 20) Mäkelä R, Arjonen A, Suryo Rahmanto A, Härmä V, Lehtiö J, Kuopio T, et al. Ex vivo assessment of targeted therapies in a rare metastatic epithelial-myoepithelial carcinoma. *Neoplasia* 2020;22(9):390-98.